



Computer PC case & VGA Compatibility



Compatibility with VGA RTX 50 (Horizontal Setup)

	GR801 GR701 GX601 GX601S	PA602	GT502	GT501 GT302	GT301 PA401	AP304 AP303 AP202	AP201	AP201 x LOKI PSU	A32 A31 A23/A21
ROG Astral 5090	✓	✓	✓	✓	✗	✓	✗	✗	✓
ROG Astral 5090 Liquid	✓	✗	✓*	✗	✗	✗	✗	✗	✗
ROG Astral 5080	✓	✓	✓	✓	✗	✓	✗	✗	✓
ROG Strix 5070	✓	✓	✓	✓	✗	✓	✗	✓	✓
TUF Gaming 5090	✓	✓	✓	✓	✗	✓	✗	✗	✓
TUF Gaming 5080	✓	✓	✓	✓	✗	✓	✗	✗	✓
TUF Gaming 5070 Ti	✓	✓	✓	✓	✗	✓	✗	✓	✓
TUF Gaming 5070	✓	✓	✓	✓	✗	✓	✗	✓	✓
TUF Gaming 5060 Ti	✓	✓	✓	✓	✓	✓	✓	✓	✓

*GT502 to fit Astral 5090 Liquid radiator under condition that rear chamber accommodate AIO with thickness ≤55mm.

Compatibility with VGA RTX 50 (Horizontal Setup)

	GR801 GR701 GX601 GX601S	PA602	GT502 GT501 GT302	GT301 PA401	AP304 AP303 AP202	AP201	AP201 x LOKI PSU	A32 A31 A23/A21
ASUS PRIME 5080	✓	✓	✓	✓	✓	✓	✓	✓
ASUS PRIME 5070 Ti	✓	✓	✓	✓	✓	✓	✓	✓
ASUS PRIME 5070	✓	✓	✓	✓	✓	✓	✓	✓
ASUS PRIME 5060	✓	✓	✓	✓	✓	✓	✓	✓
Dual 5070	✓	✓	✓	✓	✓	✓	✓	✓
Dual 5060 Ti	✓	✓	✓	✓	✓	✓	✓	✓

Compatibility with VGA RTX 40 (Horizontal Setup)

	GR801 GR701 GX601 GX601S	PA602	GT502 GT501 GT302	GT301 PA401	AP304 AP303 AP202	AP201	AP201 x LOKI PSU	A32 A31 A23/A21
ROG STRIX 4090	✓	✓	✓	✗	✓	✗	✓	✓
TUF GAMING 4090	✓	✓	✓	✗	✓	✓	✓	✓
ROG STRIX 4080	✓	✓	✓	✗	✓	✗	✓	✓
TUF GAMING 4080	✓	✓	✓	✗	✓	✓	✓	✓
ROG STRIX 4070Ti	✓	✓	✓	✗	✓	✗	✓	✓
TUF GAMING 4070Ti	✓	✓	✓	✓	✓	✓	✓	✓
ProArt 4080 SUPER	✓	✓	✓	✓	✓	✓	✓	✓
ProArt 4070	✓	✓	✓	✓	✓	✓	✓	✓

Compatibility with AMD VGA (Horizontal Setup)

	GR801 GR701 GX601 GX601S	PA602	GT502 GT501 GT302	GT301 PA401	AP304 AP303 AP202	AP201	AP201 x LOKI PSU	A32 A31 A23/A21
TUF Gaming RX9070XT	✓	✓	✓	✗	✓	✗	✓	✓
TUF Gaming RX9070	✓	✓	✓	✗	✓	✗	✓	✓
PRIME RX9070XT	✓	✓	✓	✓	✓	✓	✓	✓
PRIME RX9070	✓	✓	✓	✓	✓	✓	✓	✓

BTF Compatibility (MB vs. Chassis)

	GR801	GR701- BTF	GR701 GX601 GT502 GT501 GT301	PA602 PA401 AP304 AP303 A32	GT302 A31	AP202 AP201	A23 A21
ATX BTF MB	✓	✓	✗	✗	✓	✗	✗
Standard ATX MB	✓	✓	✓	✓	✓	✗	✗
mATX BTF MB	✗	✓	✗	✗	✓	✗	✓
Standard mATX MB	✓	✓	✓	✓	✓	✓	✓

Workstation MB vs. ProArt PA602

Vendor	Chipset	Model Name	Board Size	Form Factor	Can fit in PA602?
AMD	WRX90	PRO WS WRX90E-SAGE SE	30.5cm x 33cm	EEB	✗
AMD	TRX50	PRO WS TRX50-SAGE WIFI	30.5cm x 28cm	CEB	✓
AMD	TRX50	PRO WS TRX50-SAGE WIFI A	30.5cm x 28cm	CEB	✓
AMD	X870E	ROG CROSSHAIR X870E EXTREME	30.5cm x 27.7cm	Extended ATX	✓
AMD	X870E	ROG CROSSHAIR X870E DARK HERO	30.5cm x 27.7cm	Extended ATX	✓
AMD	B850	PRO WS B850M-ACE SE	24.4cm x 24.4cm	micro-ATX	✓
Intel	W790	PRO WS W790E-SAGE SE	30.5cm x 33cm	EEB	✗
Intel	W790	PRO WS W790-ACE	30.5cm x 26.67cm	CEB	✓
Intel	W880	PRO WS W880-ACE SE	30.5cm x 24.4cm	ATX	✓
Intel	W680	PRO WS W680-ACE IPMI	30.5cm x 24.5cm	ATX	✓
Intel	W680	PRO WS W680-ACE	30.5cm x 24.5cm	ATX	✓
Intel	W680	PRO WS W680M-ACE SE	24.4cm x 24.4cm	micro-ATX	✓
Intel	Z890	ROG MAXIMUS Z890 EXTREME	30.5cm x 27.7cm	Extended ATX	✓
Intel	Z890	PRO WS Z890-ACE SE	30.5cm x 24.4cm	ATX	✓